

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Zubora 92 F

Revision date: 08.02.2017

Article No.: 96990

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

96990 Zubora 92 F

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water-soluble cooling lubricant.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name: Locher + Co. AG Altstätten
Street: Industriestr. 19
Place: CH-9450 Altstätten
Telephone: +41 (0) 71 / 757 60 60 Telefax: +41 (0) 71 / 757 60 65
e-mail: info@viscotex.ch
Contact person: Thomas Dietsche
Internet: www.viscotex.ch

Manufacturer

Company name: Zeller+Gmelin GmbH & Co. KG
Street: Schlosstr. 20
Place: D-73054 Eislingen
Telephone: +49 (0) 7161 / 802-0 Telefax: +49 (0) 7161 / 802-290
e-mail: info@zeller-gmelin.de
Contact person: Uwe Allmendinger Telephone: +49 (0) 7161 / 802-297
e-mail: produktsicherheit@zeller-gmelin.de
Internet: www.zeller-gmelin.de
Responsible Department: Produktsicherheit / Product Safety

1.4. Emergency telephone number:

Germany: +49 (0) 7161 / 802-400
In England and Wales: NHS Direct: 0845 4647 or 111 In Scotland: NHS 24 -
08454 24 24 24 In Republic of Ireland: 01 809 2166

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Causes skin irritation.

Causes serious eye damage.

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

3,3'-methylenebis[5-methyloxazolidine]

sodium/triethanolamine 4-((2-hydroxyethyl)amino)-3-pentapropenyl-4-oxobutanoate

Signal word: Danger

Pictograms:



Hazard statements

H315

Causes skin irritation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Zubora 92 F

Revision date: 08.02.2017

Article No.: 96990

Page 2 of 9

H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P332+P313 If skin irritation occurs: Get medical advice/attention.

Special labelling of certain mixtures

EUH208 Contains 3-iodo-2-propynyl butylcarbamate. May produce an allergic reaction.

2.3. Other hazards

Results of PBT and vPvB assessment: not applicable.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mineral oil-based mixture. Mineral oil with DMSO extract < 3 % as measured by IP 346.

Hazardous components

CAS No	Chemical name	Quantity			
	EC No	Index No	REACH No		
	Classification according to Regulation (EC) No. 1272/2008 [CLP]				
68920-66-1	alcohols, C16-18 and C18-unsaturated, ethoxylated (>5-9 EO)			5 - < 10 %	
	Skin Irrit. 2, Aquatic Acute 1, Aquatic Chronic 3; H315 H400 H412				
66204-44-2	3,3'-methylenebis[5-methyloxazolidine]			2.5 - < 5 %	
	266-235-8				
	Acute Tox. 4, Acute Tox. 4, Skin Corr. 1C; H302 H332 H314				
1424149-03-0	sodium/triethanolamine 4-((2-hydroxyethyl)amino)-3-pentapropenyl-4-oxobutanoate			2.5 - < 5 %	
	800-765-8			01-2119979554-22	
	Skin Irrit. 2, Eye Dam. 1; H315 H318				
10043-35-3	boric acid			1 - < 2.5 %	
	233-139-2			005-007-00-2	01-2119486683-25
	Repr. 1B; H360FD				
68920-66-1	alcohols, C16-18 and C18-unsaturated, ethoxylated (< 2,5 EO)			1 - < 2.5 %	
	500-236-9			01-2119489407-26	
	Skin Irrit. 2, Aquatic Chronic 2; H315 H411				
55406-53-6	3-iodo-2-propynyl butylcarbamate			0.1 - < 0.3 %	
	259-627-5			616-212-00-7	
	Acute Tox. 3, Acute Tox. 4, Eye Dam. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1 (M-Factor = 1); H331 H302 H318 H317 H372 H400 H410				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. If unconscious place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Zubora 92 F

Revision date: 08.02.2017

Article No.: 96990

Page 3 of 9

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Let water be drunk in little sips (dilution effect). Call a physician immediately. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

When in doubt or if symptoms are observed, get medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO₂).

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide Carbon dioxide (CO₂). Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Do not allow to enter into soil/subsoil.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Clean contaminated articles and floor according to the environmental legislation.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Do not eat, drink or smoke when using this product. Provide fresh air. Handle and open container with care. Conditions to avoid: generation/formation of aerosols.

Advice on protection against fire and explosion

No special measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Protect against: Frost. Keep away from heat. Protect against direct sunlight. Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

Observe technical data sheet.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Zubora 92 F

Revision date: 08.02.2017

Article No.: 96990

Page 4 of 9

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
1424149-03-0	sodium/triethanolamine 4-((2-hydroxyethyl)amino)-3-pentapropenyl-4-oxobutanoate			
Worker DNEL, long-term		inhalation	local	1 mg/m ³
Worker DNEL, acute		inhalation	local	1 mg/m ³
Worker DNEL, long-term		dermal	systemic	2,5 mg/kg bw/day
10043-35-3	boric acid			
Worker DNEL, long-term		inhalation	systemic	8,3 mg/m ³
Consumer DNEL, long-term		inhalation	systemic	4,15 mg/m ³
Worker DNEL, long-term		dermal	systemic	392 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	0,98 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,98 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	196 mg/kg bw/day

PNEC values

CAS No	Substance	Environmental compartment	Value
1424149-03-0	sodium/triethanolamine 4-((2-hydroxyethyl)amino)-3-pentapropenyl-4-oxobutanoate		
Freshwater			0,2 mg/l
Marine water			0,02 mg/l
Freshwater sediment			0,93 mg/kg
Marine sediment			0,093 mg/kg
Soil			0,068 mg/kg
Micro-organisms in sewage treatment plants (STP)			10 mg/l
10043-35-3	boric acid		
Freshwater			1,35 mg/l
Marine water			1,35 mg/l
Soil			5,4 mg/kg
Micro-organisms in sewage treatment plants (STP)			1,75 mg/l
Freshwater sediment			1,8 mg/kg
Marine sediment			1,8 mg/kg
68920-66-1	alcohols, C16-18 and C18-unsaturated, ethoxylated (< 2,5 EO)		
Freshwater sediment			6,33 mg/kg
Marine sediment			6,33 mg/kg
Soil			1 mg/kg

8.2. Exposure controls

Appropriate engineering controls

See chapter 7. No additional measures necessary.

Protective and hygiene measures

When using do not eat, drink, smoke, sniff.

Eye/face protection

Eye glasses with side protection.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Zubora 92 F

Revision date: 08.02.2017

Article No.: 96990

Page 5 of 9

Hand protection

Wear suitable gloves. Recommended glove articles: DIN EN 374. Suitable material: NBR (Nitrile rubber). Breakthrough time (maximum wearing time): > 480 min (Thickness of the glove material: 0.4 mm). Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Skin protection

Protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. When splashes or fine mist form, a permitted breathing apparatus suitable for these purposes must be used. Suitable respiratory protection apparatus: Filtering Half-face mask (DIN EN 149), e.g. FFA P / FFP3.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	brown
Odour:	characteristic

pH-Value (at 20 °C):	9,1	DIN 51369 (50 g/L)
----------------------	-----	--------------------

Test method

Changes in the physical state

Melting point:	not determined	
Initial boiling point and boiling range:	not determined	
Pour point:	not applicable	
Flash point:	150 °C	EN ISO 2592
Lower explosion limits:	0,6 vol. %	
Upper explosion limits:	6,5 vol. %	
Ignition temperature:	not determined	
Decomposition temperature:	No information available.	
Vapour pressure:	not determined	
Density (at 15 °C):	0,98 g/cm ³	DIN 51757
Water solubility:	miscible	
Partition coefficient:	not determined	
Viscosity / dynamic:	not determined	
Viscosity / kinematic: (at 20 °C)	350 mm ² /s	DIN 51562
Flow time:	not determined	
Vapour density:	not determined	
Evaporation rate:	not determined	

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Zubora 92 F

Revision date: 08.02.2017

Article No.: 96990

Page 6 of 9

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name	Exposure route	Dose	Species	Source
66204-44-2	3,3'-methylenebis[5-methyloxazolidine]	oral	LD50 900 mg/kg	Rat	
		inhalative vapour	ATE 11 mg/l		
		inhalative (4 h) aerosol	LC50 2 mg/l	Rat	
68920-66-1	alcohols, C16-18 and C18-unsaturated, ethoxylated (< 2,5 EO)	oral	LD50 >2000,0 mg/kg	Rat	
55406-53-6	3-iodo-2-propynyl butylcarbamate	oral	LD50 >300-500 mg/kg	Rat	
		dermal	LD50 >2000 mg/kg	Rat	
		inhalative vapour	ATE 3 mg/l		
		inhalative aerosol	ATE 0,5 mg/l		

Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

Other observations

Keeping to the general worker's protection rules and the industrial hygienics, there is no risk in handling this product through the personnel.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Zubora 92 F

Revision date: 08.02.2017

Article No.: 96990

Page 7 of 9

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h] [d]	Species	Source
1424149-03-0	sodium/triethanolamine 4-((2-hydroxyethyl)amino)-3-pentapropenyl-4-oxobutanoate				
	Acute fish toxicity	LC50 58 mg/l	96 h	Brachydanio rerio (zebra-fish)	OECD 203
	Acute algae toxicity	ErC50 159 mg/l	72 h	Desmodesmus subspicatus	OECD 201
	Acute crustacea toxicity	EC50 11,8 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202
	Fish toxicity	NOEC 5 mg/l	9 d	Brachydanio rerio (zebra-fish)	OECD 212
	Algae toxicity	NOEC 10 mg/l	72 d	Desmodesmus subspicatus	OECD 201
	Crustacea toxicity	NOEC 2 mg/l	21 d	Daphnia magna (Big water flea)	OECD 211

12.2. Persistence and degradability

There are no data available on the mixture itself.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
68920-66-1	alcohols, C16-18 and C18-unsaturated, ethoxylated (>5-9 EO)			
	Biodegradation	73,0 %		
	Readily biodegradable (according to OECD criteria).			
	Chemical oxygen demand (COD)	2470 mg/g		
1424149-03-0	sodium/triethanolamine 4-((2-hydroxyethyl)amino)-3-pentapropenyl-4-oxobutanoate			
	Biodegradation	57 %	21	OECD 302B/ ISO 9888/ EEC 92/69/V, C.9
	Moderately/partially biodegradable.			
68920-66-1	alcohols, C16-18 and C18-unsaturated, ethoxylated (< 2,5 EO)			
	BOD5/COD ratio:	>60,0 %		
	DOC reduction.	>70,0 %		
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68920-66-1	alcohols, C16-18 and C18-unsaturated, ethoxylated (>5-9 EO)	6,13
66204-44-2	3,3'-methylenebis[5-methyloxazolidine]	-0,30
1424149-03-0	sodium/triethanolamine 4-((2-hydroxyethyl)amino)-3-pentapropenyl-4-oxobutanoate	< 3
10043-35-3	boric acid	-1,09
55406-53-6	3-iodo-2-propynyl butylcarbamate	2,88

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions,

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Zubora 92 F

Revision date: 08.02.2017

Article No.: 96990

Page 8 of 9

covering waste and dangerous waste.

Waste disposal number of waste from residues/unused products

120107 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; mineral-based machining oils free of halogens (except emulsions and solutions)
Classified as hazardous waste.

Waste disposal number of used product

120109 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; machining emulsions and solutions free of halogens
Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Consult the appropriate local waste disposal expert about waste disposal.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.
Marine pollutant: NO

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):
boric acid

Restrictions on use (REACH, annex XVII):

Entry 30: boric acid

2010/75/EU (VOC): 0 %

National regulatory information

Water contaminating class (D): 2 - water contaminating

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Zubora 92 F

Revision date: 08.02.2017

Article No.: 96990

Page 9 of 9

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,9,11.

Abbreviations and acronyms

ADR: Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement concernant le transport international ferroviaire des marchandises dangereuses (Regulations concerning the International Carriage of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

CAS: Chemical Abstracts Service (a division of the American Chemical Society)

DNEL/DMEL: Derived No-Effect Level / Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

WEL (UK): Workplace Exposure Limits

TWA (EC): Time-Weighted Average

STEL (EC): Short Term Exposure Limit

ATE: Acute Toxicity Estimate

LD50: Lethal Dose, 50% (median lethal dose)

LC50: Lethal Concentration, 50% (median lethal concentration)

EC50: half maximal Effective Concentration

ErC50: EC50 in terms of reduction of growth rate

VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains 3-iodo-2-propynyl butylcarbamate. May produce an allergic reaction.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)